



Claim Amendments

1(previously presented). A compound of Formula (I) or (II)



wherein

A is nitrogen and B is carbon;

R⁰ is a phenyl substituted with 1 to 3 substituents independently selected from the group consisting of halo, (C₁-C₄)alkoxy, halo-substituted (C₁-C₄)alkyl, and cyano;

R¹ is a phenyl substituted with 1 to 3 substituents independently selected from the group consisting of halo, (C₁-C₄)alkoxy, halo-substituted (C₁-C₄)alkyl, and cyano;

X is a bond;

R^{3a} and R^{3b} are each independently hydrogen, (C₁-C₄)alkyl, or halo-substituted (C₁-C₄)alkyl; and

R⁴ is (C₁-C₈)alkyl, halo-substituted (C₁-C₈)alkyl, cyclopentyl, cyclohexyl, piperidin-1-yl, pyrrolidin-1-yl, or morpholin-4-yl;

provided that when the compound is a compound of Formula (II), R^{3a} and R^{3b} are not both hydrogen.

2-3(cancelled).

4(currently amended). The compound of Claim 1, ~~2 or 3~~ wherein said compound is a compound of Formula (I); or a pharmaceutically acceptable salt thereof.

5-7(cancelled).

8(previously presented). The compound of Claim 4 wherein R⁰ and R¹ are each independently a phenyl substituted with 1 to 2 substituents independently selected from the group consisting of chloro, fluoro, (C₁-C₄)alkoxy, fluoro-substituted (C₁-C₄)alkyl, and cyano; or a pharmaceutically acceptable salt thereof.

9(previously presented). The compound of Claim 8 wherein R⁰ is 2-chlorophenyl, 2-fluorophenyl, 2,4-dichlorophenyl, 2-fluoro-4-chlorophenyl, 2-chloro-4-fluorophenyl, or 2,4-difluorophenyl; and R¹ is 4-chlorophenyl, 4-cyanophenyl, or 4-fluorophenyl; or a pharmaceutically acceptable salt thereof.

10(previously presented). The compound of Claim 4 selected from the group consisting of

2-(2-chloro-phenyl)-5-isopropyl-3-(4-methoxy-phenyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

2-(2-chloro-phenyl)-5-isopropyl-3-(4-cyano-phenyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

2-(2-chloro-phenyl)-5-isopropyl-3-(4-chloro-phenyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

3-(4-chloro-phenyl)-2-(2-chloro-phenyl)-5-(2,2,2-trifluoro-ethyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

3-(4-chloro-phenyl)-2-(2-chloro-phenyl)-5-cyclohexyl-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

3-(4-chloro-phenyl)-2-(2,4-dichloro-phenyl)-5-isopropyl-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

3-(4-chloro-phenyl)-2-(2,4-dichloro-phenyl)-5-(2,2,2-trifluoro-ethyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

3-(4-chloro-phenyl)-5-cyclohexyl-2-(2,4-dichloro-phenyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

3-(4-chloro-phenyl)-2-(3-chloro-phenyl)-5-isopropyl-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

3-(4-cyano-phenyl)-2-(3-chloro-phenyl)-5-(2,2,2-trifluoro-ethyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

3-(4-chloro-phenyl)-2-(3-chloro-phenyl)-5-(2,2,2-trifluoro-ethyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one; and

3-(4-chloro-phenyl)-2-(3-chloro-phenyl)-5-cyclohexyl-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one; or a pharmaceutically acceptable salt thereof.

11(previously presented). The compound of Claim 10 selected from the group consisting of

2-(2-chloro-phenyl)-5-isopropyl-3-(4-cyano-phenyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

2-(2-chloro-phenyl)-5-isopropyl-3-(4-chloro-phenyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one; and

3-(4-chloro-phenyl)-2-(2-chloro-phenyl)-5-(2,2,2-trifluoro-ethyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one; or a pharmaceutically acceptable salt thereof.

12-30(cancelled).

31(currently amended). The compound of Claim 1, ~~2 or 3~~ wherein said compound is a compound of Formula (II); or a pharmaceutically acceptable salt thereof.



32-34(cancelled).

35(previously presented). The compound of Claim 31 wherein R⁰ and R¹ are each independently a phenyl substituted with 1 to 2 substituents independently selected from the group consisting of chloro, fluoro, (C₁-C₄)alkoxy, fluoro-substituted (C₁-C₄)alkyl), and cyano; or a pharmaceutically acceptable salt thereof.

36(previously presented). The compound of Claim 35 wherein R⁰ is 2-chlorophenyl, 2-fluorophenyl, 2,4-dichlorophenyl, 2-fluoro-4-chlorophenyl, 2-chloro-4-fluorophenyl, or 2,4-difluorophenyl; and R¹ is 4-chlorophenyl, 4-cyanophenyl, or 4-fluorophenyl; or a pharmaceutically acceptable salt thereof.

37-41(cancelled).

42(previously presented). A compound of Formula (III) or (IV)



wherein

A is nitrogen and B is carbon;

R^{0a} , R^{0b} , R^{1b} , and R^{1c} are each independently halo, (C_1-C_4) alkoxy, (C_1-C_4) alkyl, halo-substituted (C_1-C_4) alkyl, or cyano;

n and m are each independently 0, 1 or 2;

X is a bond;

R^{3a} and R^{3b} are each independently hydrogen, (C_1-C_4) alkyl, or halo-substituted (C_1-C_4) alkyl; and

R^4 is (C_1-C_8) alkyl, halo-substituted (C_1-C_8) alkyl, cyclopentyl, cyclohexyl, piperidin-1-yl, pyrrolidin-1-yl, or morpholin-4-yl; or

a pharmaceutically acceptable salt thereof:

provided that when said compound is a compound of Formula (IV), R^{3a} and R^{3b} are not both hydrogen.

43(previously presented). The compound of Claim 42 wherein said compound is a compound of Formula (III); or a pharmaceutically acceptable salt thereof.

44-48(cancelled).

49(previously presented). The compound of Claim 42 wherein said compound is a compound of Formula (IV); or a pharmaceutically acceptable salt thereof.

50-54(cancelled).

55(previously presented). A pharmaceutical composition comprising (1) a compound of Claim 1, or said salt; and (2) a pharmaceutically acceptable excipient, diluent, or carrier.

56-58 (cancelled).

59(previously presented). A method for treating obesity comprising the step of administering to an animal in need of such treatment a therapeutically effective amount of a compound of Claim 1; or a pharmaceutically acceptable salt thereof.

60-63(cancelled).

64(previously presented). A method for treating obesity comprising the step of administering a pharmaceutical composition of Claim 55.

65-73 (cancelled).